



shelf//track

DROP-IN
CARTON FLOW
TO REPLACE
PLASTIC
WHEEL RAILS

Smarter. Better. UNEX.



Shown with optional package stop



Shown with optional infeed guides



Productivity and maintenance costs are reduced with the shelf track system. The system is designed to be easy to use and maintain. It is a reliable and efficient solution for material handling.

Benefits

- Increased productivity
- Low maintenance costs
- Reduced energy consumption
- Long service life
- Safe and reliable operation

Flow options

- **Roller lanes** increase capacity by 300% and are suitable for heavy loads.
- **Wheel beds** are suitable for light loads and offer a capacity increase of 90%.



Roller lane and wheel bed comparison



ShelfTrack Lane and Bed Shared Features

- a roé-áá ÇÉsáÖãÑor É~sy áásí~ää-íáoà
- crÉÉzÉr/ÁooàÉr r~íÉÇ
- bi ÁáÉáíäyÜ~ãÇäÉsÁ~ríoàs ~ãÇ íoiÉs
- C~é~Ááíy ué ío 50 äÄséÉr Ñooí, ÇÉéÉäÇááÖ oà sÚÉäÑÁ~é~Ááíy
- ^v~ää~ÄäÉáääÉäÖiÜsÁuí ío íÜÉ eu~ríÉr áãÄÜ
- 7-yÉ~r w~rr~áíy



ShelfTrack Lane Features

- mrováÇÉs300% morÉ éroÇuÁí
- Áoái~Áí íÜ~ã éã~síáAwÜÉÉär~ää
- ú ko ámérááíáãÖor Ü~ãÖ-úes
- ú í éíámázÉÇ Ñor éroÇuÁí sí~ÁááãÖ
- ú qÜÉ oráÖáã~ãÑuääwáÇiÜ
- Á~ríoà flow ír~Áã


ShelfTrack Bed Features

- ú j~ñámum flÉñáÁáááíy äÉÑí-íoráÖÜí
- Ñor rÉsãoiíáãÖ
- ú pÜ~rá fiã áãÑÉÉÇÖuáÇÉsÉ~sÉ rÉéãÉáásÜmÉáí
- ú eÉñ ÜuÄ wÜÉÉäÇÉsáÖã Ñor oéíám~ãflow
- ú qÜÉ ä~íÉsí áããov~íáoà Ñrom íÜÉ máÁãoãoÖásís~írkbu

Selecting the Correct Track Width

SHELFTRACK LANE WIDTH GUIDE

ShelfTrack Lane widths are determined by the width of the cartons being used. ShelfTrack Lane widths are 6", 9", 12" & 15". ShelfTrack Lane widths are determined by the width of the cartons being used. ShelfTrack Lane widths are 6", 9", 12" & 15".



SHELFTRACK WIDTH	MAXIMUM CARTON WIDTH
6"	8"
9"	13-1/2"
12"	18"
15"	22-1/2"

SHELFTRACK BED WIDTH GUIDE


ShelfTrack Bed Widths are determined by the width of the cartons being used. ShelfTrack Bed Widths are 12" & 18". ShelfTrack Bed Widths are determined by the width of the cartons being used. ShelfTrack Bed Widths are 12" & 18".



SHELFTRACK BED WIDTH	OAW
12"	11.7"
18"	17.7"
12"	11.75"
15"	14.75"
18"	17.75"

ROLLER CENTER GUIDE

Roller Centers are determined by the width of the cartons being used. Roller Centers are 4", 8" & 12". Roller Centers are determined by the width of the cartons being used. Roller Centers are 4", 8" & 12".




MINIMUM CARTON LENGTH	MAXIMUM ROLLER CENTER
4"	1"
8"	2"
12"	3"

* 1" = 0.5"

PART NUMBER EXAMPLE - SHELFTRACK

97	S2	R	6	2	x79
SERIES	END STYLE	ROLLER TYPE	TRACK WIDTH	ROLLER CENTERS	LENGTH

97 SERIES - SHELFTRACK



Available End Styles

Stop (S0)


Stop (S0) end style is used for cartons that are not to be returned. Stop (S0) end style is used for cartons that are not to be returned.

No Stop (S2)


No Stop (S2) end style is used for cartons that are to be returned. No Stop (S2) end style is used for cartons that are to be returned.

Adjustable End


Adjustable End is used for cartons that are to be returned. Adjustable End is used for cartons that are to be returned.



Roller Lane with Stop



Wheel Bed with Stop



Adjustable End